OIPE JC46
APR 19 2004
PATENT & TRADEMARK OFFICE

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	GOEDDEL ET AL.	Examiner:	UNKNOWN
Serial No.:	10/679,014	Group Art Unit:	UNKNOWN
Filed:	OCTOBER 3, 2003	Docket:	11669.172USD5
Confirmation No.:	UNKNOWN	Customer No.:	23552
Title:	TRAF INHIBITORS		

CERTIFICATE UNDER 37 CFR 1.8:
I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on April 15, 2004.

By: Sheryl A. Boerboom
Name: Sheryl A. Boerboom

23552
PATENT TRADEMARK OFFICE

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

We are transmitting herewith the attached:

☒ Transmittal Sheet in duplicate containing Certificate of Mailing
☒ Information Disclosure Statement, Form 1449
☒ Return postcard

Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers or any future reply, if appropriate. Please charge any additional fees or credit overpayment to Deposit Account No. 13-2725. A duplicate of this sheet is enclosed.

MERCHANT & GOULD P.C.
P.O. Box 2903, Minneapolis, MN 55402-0903
612.332.5300

By: Katherine M Kowalchyk
Name: Katherine M. Kowalchyk
Reg. No.: 36,848
KKowalchyk:sab

OIPE
APR 19 2004
JC49
PATENT & TRADEMARK OFFICE

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	GOEDDEL ET AL.	Examiner:	UNKNOWN
Serial No.:	10/679,014	Group Art Unit:	UNKNOWN
Filed:	OCTOBER 3, 2003	Docket No.:	11669.172USD5
Title:	TRAF INHIBITORS		

CERTIFICATE UNDER 37 CFR 1.8:
I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on April 15, 2004.

By: Sheryl A. Boerboom
Name: Sheryl A. Boerboom

INFORMATION DISCLOSURE STATEMENT (37 C.F.R. § 1.97(b))

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

With regard to the above-identified application, the items of information listed on the enclosed Form 1449 are brought to the attention of the Examiner.

This statement should be considered because it is submitted before the mailing date of a first Office Action on-the-merits. Accordingly, no fee is due for consideration of the items listed on the enclosed Form 1449.

In accordance with 37 C.F.R. §1.98(d), a copy of each document or other information listed on the enclosed Form 1449 is not provided because it was previously cited by or submitted to the U.S. Patent and Trademark Office in parent application, U.S. Serial No. 09/579,933 filed on May 26, 2000.

No representation is made that a reference is "prior art" within the meaning of 35 U.S.C. §§ 102 and 103 and Applicants reserve the right, pursuant to 37 C.F.R. § 1.131 or otherwise, to establish that the reference(s) are not "prior art." Moreover, Applicants do not represent that a reference has been thoroughly reviewed or that any relevance of any portion of a reference is intended.

Consideration of the items listed is respectfully requested. Pursuant to the provisions of M.P.E.P. 609, it is requested that the Examiner return a copy of the attached Form 1449, marked as being considered and initialed by the Examiner, to the undersigned with the next official communication.

Please charge any additional fees or credit any overpayment to Deposit Account No. 13-2725.

Respectfully submitted,

MERCHANT & GOULD P.C.
P.O. Box 2903
Minneapolis, Minnesota 55402-0903
(612) 332-5300

Date: April 15, 2004

Katherine M. Kowalchyk
Reg. No. 36,848
KMK:sab

23552
PATENT TRADEMARK OFFICE

APR 19 2004 PATENT & TRADEMARK OFFICE

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.172USD5	Application Number: 10/679,014
	Applicant: GOEDDEL ET AL.	
	Filing Date: 10/03/2003	Group Art Unit: UNKNOWN

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	4,861,587	08/29/1989	Urbaschek et al.			
	5,789,550	08/04/1998	Goeddel et al.			
	6,004,553	12/21/1999	Goeddel et al.			
	6,060,303	05/09/2000	Goeddel et al.			
	6,063,585	05/16/2000	Goeddel et al.			

FOREIGN PATENT DOCUMENTS

	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
	417,563	03/20/1991	EP			X (English Abstract)	
	418,014	03/20/1999	EP				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

		Ausubel et al., "Introduction of DNA into Mammalian Cells" Current Protocols in Molecular Biology 1:9.11-9.1.4 (1990)
		Berg, J., "Zinc Fingers and Other Metal-Binding Domains" Journal of Biological Chemistry 265(12):6513-6516 (1990)
		Beutler, B. and Cerami, A., "Tumor necrosis, cachexia, shock, and inflammation: a common mediator" Ann. Rev. Biochem. 57:505-518 (1988)
		Blake et al., "The sequences of the human and mouse c-cbl proto-oncogenes show v-cbl was generated by a large truncation encompassing a proline-rich domain and a leucine zipper-like motif" Oncogene 6:653-657 (1991)
		Brockhaus et al., "Identification of Two Types of Tumor Necrosis Factor Receptors on Human Cell Lines by Monoclonal Antibodies." Proc. Natl. Acad. Sci. USA 87:3127-3131 (1990)
		Chan et al., "Molecular definition and sequence motifs of the 52-kD component of human SS-A/Ro Autoantigen" J. Clin. Invest. 87:68-76 (1991)
		Cheng and Baltimore, "TANK, a co-inducer with TRAF2 of TNF- and CD40L-mediated NF-kB activation" Genes & Development 10:963-973 (1996)
		Cheng et al., "Involvement of CRAF1, a relative of TRAF, in CD40 signaling" Science 267(8):1494-1498 (1995)
		Chevray and Nathans, "Protein Interaction Cloning in Yeast: Identification of Mammalian Proteins That React With the Leucine Zipper of Jun" Proc. Natl. Acad. Sci. USA 89:5789-5793 (July 1992)
		Chien et al., "The Two-Hybrid System: A Method to Identify and Clone Genes for Proteins that Interact with a Protein of Interest." Proc. Natl. Acad. Sci. USA 88:9578-9582 (1991)

EXAMINER	DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

FORM 1449	Docket Number:	Application Number:
INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	11669.172USD5	10/679,014
	Applicant: GOEDDEL ET AL.	
	Filing Date: 10/03/2003	Group Art Unit: UNKNOWN

PTO/SB/08A
APR 19 2004
PATENT & TRADEMARK OFFICE

		Clonetech Catalog pps. 19, 192-194 (1994)
		Deng et al., "COP1, an arabidopsis regulatory gene, encodes a protein with both a zinc-binding motif and a G, homologous domain" Cell 71:791-801 (1992)
		Driscoll and Williams, "Two divergently transcribed genes of dictyostelium discoideum are cyclic AMP-inducible and coregulated during development" Molecular & Cellular Biology 7(12):4482-4489 (1987)
		EMBL Sequence Database Accession No. U51907 (March 20, 1996)
		Engelmann et al., "Antibodies to a Soluble Form of a Tumor Necrosis Factor (TNF) Receptor Have TNF-like Activity" Journal of Biological Chemistry 265(24):14497-14504 (1990)
		Espevik et al., "Characterization of binding and biological effects of monoclonal antibodies against a human tumor necrosis factor receptor" Journal of Experimental Medicine 171:415-426 (1990)
		Fields and Song., "A Novel Genetic System to Detect Protein-Protein Interactions." Nature. 340:245-246 (1989)
		Fiers, W., "Tumor necrosis factor characterization at the molecular, cellular and In Vivo level" FEBS Letters 285(2):199-212 (1991)
		Freemont et al., "A novel cysteine-rich sequence motif" Cell 64:483-484 (1991)
		Genethon, "EMBL Sequence Database" Accession No. Z43715 XP002018922 (November 6, 1994)
		Goeddel et al., "Tumor Necrosis Factors: Gene Structure and Biological Activities" Cold Spring Harbor Symposia on Quantitative Biology LI:597-609 (1986)
		Goodwin et al., "Molecular Cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor." Mol. Cell. Bio. 11:3020-3026 (1991)
		Gray et al., "Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine with Tumour Necrosis Activity" Nature 312:721-724 (1984)
		Haupt et al., "Novel zinc finger gene implicated as myc collaborator by retrovirally accelerated lymphomagenesis in E\155-myc transgenic mice" Cell 65:753-763 (1991)
		Hohmann et al., "Expression of the types A and B tumor necrosis factor (TNF) receptors is independently regulated, and both receptors mediate activation of the transcription factor NF-kB" Journal of Biological Chemistry 265:22409-22417 (1990)
		Hohmann et al., "Two different cell types have different major receptors for human tumor necrosis factor (TNF\141\nor)" Journal of Biological Chemistry 264(25):14927-14934 (1989)
		Hoog, C. Nucleic Acids Research 19:6123-27 (1991)
		Hoog, C., "Sequence Listing 1" EMBL Sequence Database Accession No. X61807 (September 4, 1991)
		Hsu et al., "The TNF receptor 1-associated protein TRADD signals cell death and NF-kB activation" Cell 81:495-504 (1995)
		Hu et al., "A novel RING finger protein interacts with the cytoplasmic domain of CD40" Journal of Biological Chemistry 269(48):30069-30072 (1994)
		Inoue et al., "Genomic binding-site cloning reveals an estrogen-responsive gene that encodes a ring finger protein" Proc. Natl. Acad. Sci. USA 90:11117-11121 (1993)

EXAMINER	DATE CONSIDERED
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

OIPE APR 19 2004 PATENT & TRADEMARK OFFICE JC46

FORM PTO-1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.172USD5	Application Number: 10/679,014
	Applicant: GOEDDEL ET AL.	
	Filing Date: 10/03/2003	Group Art Unit: UNKNOWN

		Inui et al., "Identification of the intracytoplasmic region essential for signal transduction through a B cell activation molecule, CD40" European Journal of Immunology 20:1747-1753 (1990)
		Itoh et al., "Protein heterogeneity in the human Ro/SSA ribonucleoproteins" J. Clin. Invest. 87:177-186 (1991)
		Jones et al., "The saccharomyces cerevisiae RAD18 gene encodes a protein that contains potential zinc finger domains for nucleic acid binding and a putative nucleotide binding sequence" Nucl. Acids Res. 16(14):7119-7131 (1988)
		Kohno et al., "A Second Tumor Necrosis Factor Receptor Gene Product Can Shed a Naturally Occurring Tumor Necrosis Factor Inhibitor." Proc. Natl. Acad. Sci. USA 87:8331-8335 (1990)
		Laegreid et al., "Tumor necrosis factor receptor p75 mediates cell-specific activation of nuclear factor kB and induction of human cytomegalovirus enhancer" Journal of Biological Chemistry 269:7785-7791 (1994)
		Laherty et al., "The Epstein-Barr virus LMP1 gene product induces A20 zinc finger protein expression by activating nuclear factor kB" Journal of Biological Chemistry 267:24157 (1992)
		Landschulz et al., "The leucine zipper: a hypothetical structure common to a new class of DNA binding proteins" Science 204:1759-1764 (1988)
		Lenardo and Baltimore, "NF-\153\norB: A pleiotropic mediator of inducible and tissue-specific gene control" Cell 58:227-229 (1989)
		Lewis et al., "Cloning and Expression of cDNAs for Two Distinct Murine Tumor Necrosis Factor Receptors Demonstrate One Receptor is Species Specific." PNAS USA. 88:2830-2834 (1991)
		Liou and Baltimore, "Regulation of the NF-kB/rel transcription factor and 1kB inhibitor system" Curr. Opin. Cell Biol. 5:477-487 (1993)
		Loetscher et al., "Molecular Cloning and Expression of the Human 55 kd Tumor Necrosis Factor Receptor" Cell 61:351-359 (1990)
		Mardon and Page, "The sex-determining region of the mouse Y chromosome encodes a protein with a highly acidic domain and 13 zinc fingers" Cell 56:765-770 (1989)
		Miller et al., "Repetitive zinc-binding domains in the protein transcription factor IIIA from Xenopus Oocytes" EMBO Journal 4(6):1609-1614 (1985)
		Miyatake et al., "Structure of the chromosomal gene for granulocyte-macrophage colony stimulating factor: comparison of the mouse and human genes" EMBO Journal 4:2561-2568 (1985)
		Mosialos et al., "The Epstein-Barr virus transforming protein LMP1 engages signaling proteins for the tumor necrosis factor receptor family" Cell 80:389-399 (1995)
		Naume, B. et al., "Involvement of the 55- and 75-kDa tumor necrosis factor receptors in the generation of lymphokine-activated killer cell activity and proliferation of natural killer cells" J. Immunol. 146:3035-3048 (1991)
		Neta et al., "Comparison of the In Vivo effects of rIL-1 and rTNF in radioprotection, induction of CSF and of acute phase reactants" Fed. Proc. (Abstract) 46(4):1200 (1987)
		Neta et al., "Interdependence of the radioprotective effects of human recombinant interleukin 1\141, tumor necrosis factor \141, granulocyte colony-stimulating factor, and murine recombinant granulocyte-macrophage colony-stimulating factor" J. Immunol. 140(1):108-111 (1988)
		Neta et al., "Interleukin 1 is a radioprotector" J. Immunol. 136(7):2483-2485 (April 1, 1986)

EXAMINER	DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.172USD5	Application Number: 10/679,014
	Applicant: GOEDDEL ET AL.	
	Filing Date: 10/03/2003	Group Art Unit: UNKNOWN

OIPE JC46 APR 19 2004 PATENT & TRADEMARK OFFICE

		Nietfeld et al., "Second-order repeats in xenopus laevis finger proteins" J. Mol. Bil. 208:639-659 (1989)
		Nophar et al., "Soluble Forms of Tumor Necrosis Factor Receptors (TNF-Rs). The cDNA for the Type I TNF-R, Cloned Using Amino Acid Sequence Data of its Soluble Form, Encodes Both the Cell Surface and a Soluble Form of the Receptor." EMBO Journal. 9:3269-3278 (1990)
		Old, L.J., "Tumor Necrosis Factor" Sci. Am. 258(5):59-75 (1988)
		Opipari et al., "The A20 cDNA induced by tumor necrosis factor \141 encodes a Novel type of zinc finger protein" Journal of Biological Chemistry 265:14705-14708 (1990)
		Patarca et al., "rpt-1, an intracellular protein from helper/inducer T cells that regulates gene expression of interleukin 2 receptor and human immunodeficiency virus type 1" Proc. Natl. Acad. Sci. USA 85:2733-2737 (1988)
		Pennica et al., "Human Tumour Necrosis Factor: Precursor Structure, Expression and Homology to Lymphotoxin" Nature 312:724-729 (1984)
		Pharmacia Catalog pps. 133, 142-143 (1994)
		Reddy et al., "A novel zinc finger coiled-coil domain in a family of nuclear proteins" Trends Biochem. Sci. 17:344-345 (1992)
		Rothe et al., "A novel family of putative signal transducers associated with the cytoplasmic domain of the 75 kDA tumor necrosis factor receptor" Cell 78:681-692 (1994)
		Rothe et al., "I-TRAF is a novel TRAF-interacting protein that regulates TRAF-mediated signal transduction [C [C [C" Proceedings of the National Academy of Sciences 93(16):8241-8246 (1996)
		Rothe et al., "The TNFR2-TRAF signaling complex contains two novel proteins related to baculoviral inhibitor of apoptosis proteins" Cell 83(7):1243-1252 (1995)
		Rowe et al., "Upregulation of bcl-2 by the Epstein-Barr virus latent membrane protein LMP1: a B-cell-specific response that is delayed relative to NF-kB activation and to induction of cell surface markers" Journal of Virology 68:5602 (1994)
		Ruiz i Altaba et al., "Xfin: an embryonic gene encoding a multifingered protein in Xenopus" EMBO Journal 6(10):3065-3070 (1987)
		Sambrook et al. Molecular Cloning, A Laboratory Manual Chapter 16:16.3-16.81 (1989)
		Schall et al., "Molecular Cloning and Expression of a Receptor for Human Tumor Necrosis Factor" Cell 61:361-370 (1990)
		Schatz et al., "The V(D)J recombination activating gene, RAG-1" Cell 59:1035-1048 (1989)
		Schindler and Baichwal, "Three NF-kB binding sites in the human E-selectin gene required for maximal tumor necrosis factor alpha-induced expression" Molecular & Cellular Biology 14(9):5820-5831 (1994)
		Shalaby et al., "Binding and regulation of cellular functions by monoclonal antibodies against human tumor necrosis factor receptors" Journal of Experimental Medicine 172:1517-1520 (1990)
		Smith and Johnson, "Single-step purification of polypeptides expressed in escherichia coli as fusions with glutathione S-transferase" Gene 67:31-40 (1988)
		Smith et al., "A Receptor for Tumor Necrosis Factor Defines an Unusual Family of Cellular and Viral Proteins" Science 248:1019-1023 (1990)

EXAMINER	DATE CONSIDERED
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.172USD5	Application Number: 10/679,014
	Applicant: GOEDDEL ET AL.	
	Filing Date: 10/03/2003	Group Art Unit: UNKNOWN

OIPE JC46 APR 19 2004 PATENT & TRADEMARK OFFICE

		Smith et al., "The TNF receptor superfamily of cellular and viral proteins: activation, costimulation, and death" Cell 76:959-962 (1994)
		Song et al., "The tumor necrosis factor-inducible zinc finger protein A20 interacts with TRAF1/TRAF2 and inhibits NF-kappaB activation" Proceedings of the National Academy of Sciences 93(13):6721-6725 (1996)
		Stanley et al., "The structure and expression of the murine gene encoding granulocyte-macrophage colony stimulating factor: evidence for utilisation of alternative promoters" EMBO Journal 4:2569-2573 (1985)
		Takahashi et al., "Developmentally regulated expression of a human "finger"-containing gene encoded by the 5' half of the ret transforming gene" Molecular & Cellular Biology 8(4):1853-1856 (1988)
		Tartaglia and Goeddel, "Two TNF receptors" Immunology Today 13:151-153 (1992)
		Tartaglia et al., "Stimulation of human T-cell proliferation by specific activation of the 85-kDA tumor necrosis factor receptor" Proc. Natl. Acad. Sci. USA 151:4637-4641 (1993)
		Tartaglia et al., "The two different receptors for tumor necrosis factor mediate distinct cellular responses" Proc. Natl. Acad. Sci. USA 88:9292-9296 (1991)
		Thanos and Maniatis, "NF-kB: A lesson in family values" Cell 80:529-532 (1995)
		Tomita et al., "The neurospora uvs-2 gene encodes a protein which has homology to yeast RAD18, with unique zinc finger motifs" Mol. Gen. Genet. 238:225-233 (1993)
		Urbaschek et al., "Tumor necrosis factor induced stimulation of granulopoiesis and radioprotection" Lymphokine Research 6(3):179-186 (1987)
		Vinson et al., "Scissors-grip model for DNA recognition by a family of leucine zipper proteins" Science 246:911-916 (1989)
		Wiegmann et al., "Human 55-kDa receptor for tumor necrosis factor coupled to signal transduction cascades" Journal of Biological Chemistry 267:17997-18001 (1992)

23552
PATENT TRADEMARK OFFICE

EXAMINER	DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.